

GYPSUM IN PELLETS

PARAMETER	M.U.	GUARANTED VALUE		TYPICAL VALUE	ANALYSIS METHOD
		Min	Max		
CaSO ₄ *	%	93		97	Calculation
SO ₃ *	%	54		57	MI 07
CaF ₂	%		3	2	MI 07
SiO ₂	%		0,8	0.2	MI 07
K ₂ O	%		0.2	0.010	MI 07
MgO	%		0.5	0.10	MI 07
Fe ₂ O ₃	%		0.5	0.10	MI 07
Al ₂ O ₃	%		0.5	0.15	MI 07
Ca(OH) ₂	%		<1	0.9	MI 04
H ₂ O 110°C	%		10	5	MI 02
H ₂ O 360 °C	%		10	5	MI 03
pH		10		11	Potentiometric

* Data based on sample treated at 360°C after dried at 45°C

PHYSICAL PROPERTIES	M.U.	TYPICAL VALUE	ANALYSIS METHOD
Particle size distribution			Dry sieve analysis
> 50 mm	%	0	
> 18 mm	%	35	
> 10 mm	%	50	
> 4,76 mm	%	14	
< 1 mm	%	1	

THIS DOCUMENT SHOWS FLUORSID'S STANDARD SPECIFICATION. UPON REQUEST, MODIFICATION MIGHT BE AVAILABLE.