

ANHYDRITE

PARAMETER	M.U.	GUARANTED VALUE		TYPICAL VALUE	ANALYSIS METHOD
		Min	Max		
CaSO ₄ *	%	93		97	Calculation
SO ₃ *	%	54		57	XRF
CaF ₂	%		3	2	XRF
SiO ₂	%		0,8	0.2	XRF
K ₂ O	%		0.2	0.010	XRF
MgO	%		0.5	0.10	XRF
Fe ₂ O ₃	%		0.5	0.10	XRF
Al ₂ O ₃	%		0.5	0.15	XRF
Ca(OH) ₂	%		2	1	Titration
H ₂ O 110°C	%		2	1	Thermogravimetric
H ₂ O 360 °C	%		2	1	Thermogravimetric
pH		10		11	Potentiometric

* Data based on sample treated at 360°C after dried at 45°C

PHYSICAL PROPERTIES	M.U.	TYPICAL VALUE	ANALYSIS METHOD
Particle size distribution			Dry sieve analysis
< 30 mm	%	100	
< 5 mm	%	85	

THIS DOCUMENT SHOWS FLUORSID'S STANDARD SPECIFICATION. UPON REQUEST, MODIFICATION MIGHT BE AVAILABLE.