# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

## **ANHYDRITE**

### 1. Company and Product Identification

### 1.1 Substance identification

Chemical name : ANHYDROUS CALCIUM SULFATE
Commercial name : ANHYDRITE, MILLED ANHYDRITE

C.A.S. Nr. : 7778-18-9
EINECS Nr. : 231-900-3
Chemical formula : CaSO<sub>4</sub>
Molecular weight : 136,14

Registration number : 01-2119444918-26-0141

### 1.2 Application Fields

Grinded Anhydrite is used for self-levelling floors, plasters, panels and bricks for internal applications.

Binding agents; Fertilisers; Fillers; Food/feedstuff additives; Intermediates; Laboratory chemicals, Pharmaceutical substance; pH-regulating agents; Process regulators, other than polymerisation or vulcanisation processes; Processing aid, not otherwise listed;

Agents adsorbing and absorbing gases or liquids; Colouring agents, pigments; Complexing agents;

### Relevant identified uses

The product is intended for industrial, professional, private use and for research, analysis and scientific education.

### Uses advised against

None

### 1.3 Company Identification

Company Name : Fluorsid S.p.A.

Address : 2<sup>a</sup> Strada Macchiareddu

09032 ASSEMINI (CA) - Italy

 Phone Nr.
 :
 + 39 070 246321

 Fax Nr.
 :
 +39 070 2463235

 E-mail
 :
 msds@fluorsid.com

 Website
 :
 www.fluorsid.com

### 1.4 Emergency phone number

Poison centre number (Niguarda (MI) hospital) : +39 02 66101029

Emergencies : +39 070 246321

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

**ANHYDRITE** Date of issue 01/06/2015 Version 00 Revision 02 Date of revision: 31/07/2019 Replaces revision 01 of 07/11/2016

### 2. Hazard Identification

### 2.1 Classification of the substance

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]:

This substance is not classified as hazardous according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

### 2.2 Label elements

### Labelling according Regulation (EC) N° 1272/2008 [CLP]

This substance is not labelled according to Regulation (EC) N° 1272/2008 [CLP]

### 2.3 Other hazards

No special remarkable hazards.

## 3. Composition/Information on Ingredients

ANHYDROUS CALCIUM SULFATE Name

7778-18-9 CAS **EINECS** 231-900-3 Purity 96%

**ANHYDRITE** Synonyms

Registration number 01-2119444918-26-0141

### 4. First Aid Measures

## 4.1 Description of first aid measures

### General notes

No adverse effects are expected during normal use of the substance, however if any effects do appear the following recommendations apply.

### **Following inhalation:**

Following inhalation of large quantities of dust remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

### **Following skin contact:**

If some discomfort appears immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Page: 2 of 14

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

### **Following eye contact:**

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

### **Following ingestion:**

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

### **Notes for the doctor:**

Skin – friendly neutral salt. No allergic reactions known. Soluble dust.

### 4.2 Most important symptoms and effects, both acute and delayed

No specific symptoms or effects have been reported

### 4.3 Indication of any immediate medical attention and special treatment needed

Not applicable.

### 5. Fire fighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media:

Use any means suitable for extinguishing surrounding fire.

### Unsuitable extinguishing media:

None.

### 5.2 Special hazards arising from the substance

None.

## 5.3 Advice for fire-fighters

Product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

### **Special protective equipment for fire-fighters:**

None.

Page: 3 of 14

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel and for emergency personnel:

Ventilate area of leak or spill. Wear appropriate personal protective equipment.

Avoid generation of dust.

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions:

No special environmental measures are necessary.

### 6.3 Methods and material for containment and cleaning up

### For containment

All containment for dry substances suitable

### For cleaning up

Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal

### 6.4 Reference to other sections

None

## 7. Handling and Storage

### 7.1 Precautions for safe handling

### **Protective measures:**

No special provisions if the product is used appropriately.

### Avoid:

Dust dispersion. Inhalation of dust/particles Eye contact

### **Measures to prevent fire:**

Product itself does not burn.

No special fire protection measures are necessary.

### Measures to prevent aerosol and dust generation:

If technically possible use local exhaust ventilation.

### Measures required to protect the environment:

No special provisions if the product is used appropriately

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

### Advice on general occupational hygiene:

Do not to eat, drink and smoke in work areas

Wash hands after use

Remove contaminated clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions:

### Packaging materials:

Keep/store only in original container.

### Requirements for storage rooms and vessels:

None.

### Hints on storage assembly:

None. Storage under cover, protected from the weathering and in particular moisture. Store the product in closed containers in order to protect from moisture

### Storage class:

Non-combustible solids.

### **Further information on storage conditions:**

Storage according to BREF "Emissions from Storage" http://eippcb.jrc.es/reference/

### 7.3 Specific end uses:

None

### 8. Exposure controls / Personal protection

### 8.1 Control parameters

### 8.1.1 Occupational exposure limits:

Substance	Dust, respirable			
	Limit value -	Limit value -		
	Eight hours	Short term		
	mg/m³	mg/m³		
Austria	5	10		
Belgium	3			
France	5 respirable			
	aerosol			

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019

Date of revision: 31/07/2019 Replaces revision 01 of 07/11/2016

Germany (AGS)	3	6
Germany (DFG)	1,5	
Hungary	6	
Italy		
Latvia	4	
Poland		
Spain	3	
Sweden	5	
Switzerland	3	
The Netherlands		
USA - NIOSH		
USA - OSHA	5	-
United Kingdom	4	

	Remarks		
Austria	STV 15 minutes average value		
France	Bold type: Restrictive statutory limit values		
Germany (AGS)	15 minutes average value, insoluble particulates		
Germany (DFG)	insoluble p	particulates	
Latvia	dust containi	ng chemicals	

Substance	Dust, inhalable			
	Limit value -	Limit value -		
	Eight hours	Short term		
	mg/m³	mg/m³		
Austria	10	20		
Belgium	10			
Denmark	10	20		
France	10			
Germany (AGS)	10	20		
Germany (DFG)	4			
Hungary	10			
Poland	10			
Spain	10			
Sweden	10			
Switzerland	10			

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

USA -	15	
OSHA		
United	10	
Kingdom		

Substance	calcium sulfate			
	Limit value - Eight hours	Limit value - Short term		
	mg/m³	mg/m³		
Austria	5 respirable aerosol	10 respirable aerosol		
Belgium	10			
Denmark	5			
Germany (AGS)	6 respirable aerosol			
Germany (DFG)	4 inhalable aerosol			
	1,5 respirable aerosol			
Hungary	6 respirable aerosol			
Latvia	6 respirable			
Spain	10 respirable aerosol			
Switzerland	3 respirable aerosol			
USA - NIOSH	10 (1)			
	5 (2)			
	Remarks			
USA - NIOSH	(1) total dust (2) respirable aerosol			

Substance	Dust, mineral, respirable			
	Limit value - Eight - Short term hours			
	mg/m³	mg/m³		
Belgium	3			
Denmark	5	10		

### 8.1.2 Biological limit values:

None.

### 8.1.3 Appropriate engineering controls:

Local exhaust ventilation for indoor use. Chimney filters for industrial use



# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

### 8.1.4 Additional exposure limits under the conditions of use:

### **DNEL/DMEL and PNEC-values:**

### **DNELS:**

Exposure route	Exposure pattern	DNEL (workers)	
Inhalation	Acute systemic effects	5082 mg/m <sup>3</sup>	
	Long term systemic	21.17 mg/m³	

Exposure route	Exposure pattern	DNEL (general population)	
Inhalation	Acute systemic effects	3811 mg/m <sup>3</sup>	
	Long term systemic	5.29 mg/m³	
Oral	Acute systemic effects	11.4 mg/kg bw/day	
	Long term systemic	1.52 mg/kg bw/day	

### **PNECS:**

PNEC	Remarks
Aquatic	Not acutely toxic to fish, invertebrates, algae and microorganisms at the concentrations tested in the studies. Acute toxicity of calcium sulfate to fish, invertebrates, algae and microorganisms are generally greater than the highest concentrations tested and are greater than the maximum solubility of calcium sulfate in water.
Sediment	Not applicable due to ubiqutous nature of calcium and sulfate ions in the environment
Soil	Not applicable due to ubiqutous nature of calcium and sulfate ions in the environment
STP	100 mg/L

## 8.2 Exposure Control

### 8.2.1 Professional Exposure Control

### **Engineering measures**

The working places must be properly aired.

When possible, install local aspirators and efficient system of total air replacement.

If these measures are not sufficient to keep the particle concentrations below the exposure limits, it will be necessary to use suitable respiratory protection apparatus.

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

### **Respiratory protection**

If the conditions of use generate dust, use approved respiratory protection with filter P2.

### Hand protection

Wear protective gloves of textile/leather.

### Eve protection

Safety glasses with full side shields or goggles are recommended.

### Skin protection

Normal work clothes

### 8.2.2 Control of the environmental exposure

Do not disperse the product in the environment

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance
Physical state:
Solid. Crystalline Powder

Odour: neutral

pH (20  $^{\circ}$ C): in delivery state: not applicable in aqueous solution: about pH 11

Melting point/freezing point: 1450°C

Boiling point:

Flash point:

Not applicable
Flammability:

Not flammable
Upper/lower flammability or explosive limits:

Not applicable
Vapour pressure:

Not applicable

Vapour pressure:

Density (g/cm3):

Bulk density (kg/m3):

Water solubility (20°C in g/l):

Not applicab
2,96 g/cm3
0,70 kg/dm3
about 2 g/l

Partition coefficient n-Octanol/Water (log Po/w): Product/Substance is inorganic.

Auto ignition temperature: Not applicable

Decomposition Temperature (°C):

into CaSO4 x 1/2 H2O and H2O about 140°C (about 413 K) into CaSO4 and H2O about 700°C (about 973 K) into CaO and SO3 about 1000°C (about 1273 K) Viscosity Not applicable Explosive properties: Not explosive Oxidizing properties: Not oxidizing Dissociation constant Not applicable

### 9.2 Other information

None

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

**ANHYDRITE** Date of issue 01/06/2015 Version 00 Revision 02 Date of revision: 31/07/2019 Replaces revision 01 of 07/11/2016

#### Stability and reactivity 10.

### 10.1 Reactivity

Materials to avoid: No materials known.

### 10.2 Chemical stability

The substance is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Mixing with an aqueous solution of sodium carbonate will result in the formation of carbon dioxide.

### 10.4 Conditions to avoid

Avoid contamination by sulphur-reducing bacteria and water under anaerobic conditions.

### 10.5 Incompatible materials

No incompatible materials known.

### 10.6 Hazardous decomposition products

Decomposition takes place from temperatures above: 1450°C.Decomposition under formation of: Sulphur trioxide and calcium oxide.

#### **Toxicological Information** 11.

#### 11.1 Information on toxicological effects

Relevant hazard class	Effect dose	Species	Method	Remark
Acute oral toxicity	LD50 > 2000 mg/kg bw	Rat.	OECD 420	
Acute dermal toxicity	n/a			No dermal toxicity envisaged due to low potential for absorption
Acute inhalative toxicity	LC50 > 2.61 mg/L	Rat	OECD 403	Maximum attainable dose
Skin corrosion/irritation	n/a	Rabbit	OECD 404	Not irritating
Serious eye damage/irritation	n/a	Rabbit	OECD 405	Not irritating
Respiratory or skin sensitization	n/a	Guinea pig	OECD 406	Not a skin sensitizer
Germ cell mutagenicity	n/a	In vitro tests  Mouse	OECD 471 OECD 476	Not mutagenic
		in to disc	OECD 474	Not mutagenic
Carcinogenicity	n/a			No risk of carcinogenicity posed by calcium sulphate
Reproductive toxicity	NOAEL 790 mg/kg bw	Rat	OECD 422	No signs of reproductive toxicity observed
STOT single exposure	n/a			No organ toxicity observed in acute tests
STOT repeated exposure	n/a			It is considered to classify based on RCS content .  STOT RE 2 (If calcium sulfate contains crystalline silica in respirable form >1 % - < 10 %.)
Aspiration hazard	n/a			No aspiration hazard envisaged

Page: 10 of 14



# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

## 12. Ecological Information

### 12.1 Toxicity

Aquatic toxicity	Effect	Exposure	Species	Metho	Evaluation	Remark
	dose	time		d		
Acute fish toxicity	LC50 >79mg/L	96 h	Japanese rice fish	OECD 203	Harmless to fish up to the tested concentration.	LIMIT-test
Acute daphnia toxicity	EC50 >79 mg/L	48 h	Daphnia magna	OECD 202	Harmless to daphnia up to the tested concentration.	LIMIT-test
Acute algae toxicity	E50 > 79 mg/L	72 h	Selenastrum capricornutum	OECD 201	Harmless to algae up to the concentration tested.	LIMIT-test
Toxicity to STP microoragnisms	EC 50 >790 mg/L	3 h	Activated sludge	OECD 209	Harmless to STP microorganisms	

After neutralisation, toxicity is no longer observed.

The product can hydrolyse into Calcium and Sulfate Ions.

The stated effect can be caused partly by the decomposition products.

The ecological data were measured on the hydrolysed product.

### 12.2 Persistence and degradability

### **Abiotic Degradation**

Physical- and photo-chemical elimination:

The product hydrolyses quickly in the presence of water to:

Calcium and Sulfate Ions

The individual components are poorly eliminated from water.

No photo-chemical elimination.

### **Biodegradation:**

The methods for determining the biological degradability are not applicable to inorganic substances.

Inorganic product which is not eliminable from water through biological cleaning processes.

### 12.3 Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected. No indication to bioaccumulation potential.

Page: 11 of 14

## Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

The ecological data were measured on the hydrolysed product. According to experiences this product is inert and not degradable biologically.

## 12.4 Mobility in soil

Water-soluble solid.

Natural constituent in soils.

If product enters soil, it will be mobile and may contaminate groundwater

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the criteria for classification as PBT or vPvB.

### 12.6 Other adverse effects:

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment is unlikely.

The information about ecology refer to the main components.

### 13. Waste Disposal Considerations

Unused product, residues deriving from its use and empty packages have to be disposed according to the rules in force.

During handling adopt the precaution measures indicated in section 7 and 8.

## 14. Transport Information

### Not classified as dangerous in terms of transport regulations

14.1 UN-Number: None.

**14.2** UN proper shipping name: Not applicable.

14.3 Transport hazard class(es): Not applicable.

14.4 Packaging group: Not applicable.

14.5 Environmental hazards: None.

14.6 Special precautions for user: None.

Fluorsid - R.02 - MSDS Anhydrite ENG\_2019\_07\_31.doc Page: 12 of 14

# Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

ANHYDRITE
Date of issue 01/06/2015
Version 00
Revision 02
Date of revision: 31/07/2019
Replaces revision 01 of 07/11/2016

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance

Labelling under directives 1272/2008 (EC) and 790/2009 and subsequent amendments;

Regolamento	Cas	Sostanza
428/2009 ex CE 1334/2000	-	-
Annex.1		
273/04 Tab.1 Cat.1	-	-
273/04 Tab.1 Cat.2	-	-
273/04 Tab.1 Cat.3	-	-
1907/2006 Annex XIV	-	-
1907/2006 (Substance SVHC)	-	-
552/2009 (amending Annex XVII of EC Reg. 1907/2006)	-	-
276/2010 (amending Annex XVII of EC Reg. CE 1907/2006)	-	-
Dir. 96/82/CE e Dir 105/2003/CE Annex 1 part 1	-	-
Dir. 96/82/CE e Dir. 105/2003/CE Annex 1 part 2	-	-

### 15.2 Chemical Safety Assessment:

For this substance is not provided a chemical safety assessment

### 16. Further Information

The substance does not legally require an MSDS. This document has been prepared to fulfill the manufacturer duty to communicate information down the supply chain in accordance with Article 32 of Regulation EC 1907/2006.

### Revision

This revision of the MSDS changes:

✓ section 1.1

This MSDS has been prepared in accordance with regulation N. 1907/2006/EC.

Fluorsid - R.02 - MSDS Anhydrite ENG\_2019\_07\_31.doc Page: 13 of 14

## Material Safety Data Sheet In accordance with Regulation (EC) n. 1907/2006

**ANHYDRITE** Date of issue 01/06/2015 Version 00 Revision 02 Date of revision: 31/07/2019 Replaces revision 01 of 07/11/2016

#### Caution advise

P270 – Do not eat, drink or smoke when using this product.

P260 - Do not breath dust

P262 – Do not get in eyes, on skin, or on clothing

P305 +P351 +P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Key to abbreviations and acronyms

ACIGH: American Conference of Governmental Industrial Hygienists

ADN: Accord européen relative au transport international des marchandises dangereuses par voies de navigation intérieures

ADR: Accord européen relative au transport international des marchandises dangereuses par route

CL 50: Lethal Concentration 50

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report DL 50: Lethal Dose 50

DNEL: Derived no effect level

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no effect concentration

NOEC: No observed effect concentration

RID: Règlement concernent le transport International ferroviaire des marchandises Dangereuses

STEL: short term exposure limit

SCOEL: Scientific Committee on Occupational Exposure Limit Values

TWA: Time Weighted Average

UE: Unione Europea

vPvB: Very persistent very bioaccumulative

### Main Bibliography

- 1. IUCLID (International Uniform Chemical Information Database) of Calcium sulfate.
- 2. CSR of Calcium sulfate

### **Informative Note**

The product must not be used for applications other than those for which it is sold, without having obtained previous written instructions. The producer takes no responsibility for improper use.

Information supplied in this "Material Safety Data Sheet" is based on the best available kwnoledge and our experience, and it is not exhaustive. It is applied on the product exactly as it is, in case of mixture or compound make sure that no new danger can rise.

In any case people who handle the product must respect the current law and regulation related to the product, hygiene and security on work place.

The information contained in this form are a description of product characteristics for safety purpose, should not be considered as guarantee of the properties of the product itself.

Page: 14 of 14 Fluorsid - R.02 - MSDS Anhydrite ENG 2019 07 31.doc